



COME IN FROM THE COLD

Classic Hearth Vent-Free Gas Fireplace Systems

Fireplaces



VANGUARD.

CLASSIC HEARTH FIREPLACE SYSTEMS . . . CREATE A FIREPLACE INSTANTLY.

Fireplace Beauty With The Efficiency Of Vent-Free Technology

Classic Hearths provide up to 33,000 Btu of clean, quiet, odorless heat, enough to heat up to 1,100 square feet for only pennies an hour. With Classic Hearth's clean burning, 99% heat efficient burner design, the gas fireplace operates without a chimney. No outside venting is required so you eliminate heat loss and cold air drafts.

A Vanguard Classic Hearth Vent-Free Gas Fireplace System offers you the most economical and convenient way to add the beauty of a fireplace to your home.

A Classic Hearth gives you the attractiveness of a real wood burning fireplace with the heating efficiency and warmth of vent-free gas space heating. No chimney or venting is required so installation is a fraction of the cost of installing a wood burning fireplace. Also, since a Classic Hearth operates without electricity, it is the perfect alternative for emergency heat during power outages. These complete systems include a zero-

clearance firebox, high efficiency vent-free gas logs, black louvers and concealed controls. Choose between thermostatic or remote control ready models. Optional multicolor brick liners in standard or herringbone patterns plus several mantel designs are available.

The Ultimate In Heating Control

There are a variety of models so you can select the comfort setting that best suits your needs. Classic Hearths that are remote control ready allow you to use one of our optional remote controls or the built-in variable manual control to operate the fireplace, while thermostatically controlled models modulate automatically to maintain your desired heat output.



Mini

The Mini Classic (VGMR) is a small 10,000 Btu, remote-ready gas fireplace that comes in a convenient go-anywhere size. Attractive red ceramic fiber liner and arched screen come standard. Approved for installation in bedrooms.

Comfort

Cover Photo - The Classic Pro
is the ultimate in convenient operation.



Single Burner 26" Compact

The Single Burner Compact Classic Hearth (VMH26) is offered in both thermostatic and remote-ready models. The 26,000 Btu fireplace features realistic dancing yellow flames and a shallow depth for go-anywhere installation.



Dual Burner 26" Compact

The Dual Burner Compact Classic Hearth (VDCF) is a 26,000 Btu fireplace that features two rows of dancing yellow flames and is available with your choice of thermostatic or remote-ready controls.



Classic Hearth 32"

The Classic Hearth Fireplace System (VYGF33 and VSGF28/33) is a complete package; it includes the zero-clearance fireplace, plus a set of either Golden Oak or Blaze n' Glow gas logs. A series of cabinet mantels are available as accessories.



Classic Pro 36"

The Classic Hearth 36" Fireplace System (VSGF36) is designed for larger spaces and boasts a handsome arched screen front and the Blaze n' Glow gas logs. A series of cabinet mantels and decorative doors are available as options. ProFlame "Smart" Remote included.

NOW THERE'S A CLASSIC HEARTH FOR EVERY NEED



The Mini Classic is a small, bedroom-approved fireplace. Cabinet mantels are available in wall or corner mantels.

Mini Classic (VGMR):

In many homes, finding enough space to have a fireplace can be challenging. The new Vanguard Mini Classic is the perfect solution. It is a small 10,000 Btu, remote-ready gas fireplace that will take up very little room. The 10,000 Btu output is a perfect heat range to provide comfortable heat for one or two rooms. This fireplace is approved for bedroom applications. Custom sized cabinet mantels are available as well, in both wall and corner versions. Attractive red ceramic fiber liner and arched screen come standard.

- Zero clearance construction
- Approved for bedroom use
- 99% efficient
- Up to 10,000 Btu
- Arched screen
- Options include remote controls and cabinet mantels

Efficient

Compact Classic Hearth—Single Burner 26" (VMH26):

When space is at a premium, a Vanguard Single Burner Compact Gas Classic Hearth System is the perfect choice. Enjoy all of the same features and benefits of a full-size Classic Hearth. These complete systems include a zero-clearance compact firebox, vent-free split oak gas logs, black louvers and concealed controls.

- Up to 26,000 Btu
- 99% efficient
- Either thermostatic or remote models available
- Accessories include designer face kits, cabinet mantels and blowers

Compact Classic Hearth—Dual Burner 26" (VDCF):

Vanguard's Dual Burner Compact Classic Hearth System offers a nice "step-up" from the single burner and is ideal for mid-size rooms. The deeper firebox, full-size log set and two rows of flames provides a more realistic fireplace appearance. The optional cabinet mantel/base combination gives the appearance of a full-size mantel and base. Add in the arched screen, a look borrowed from the full-size Classic Hearth, and you have a perfectly priced and positioned fit between the single burner compact and full-size Classic Hearth line.

- Up to 26,000 Btu
- 99% efficient
- Thermostatic or remote models available
- Options include designer face kits, cabinet mantels and blowers



Dual Burner Compact Fireplace System shown with oak cabinet mantel. (VDCF)



The 32" Classic Hearth features 24" Blaze n' Glow Logs that provide a vibrant glow with brilliant yellow flames (VSGF33)

Classic Hearth 32" (VSGF28/VSGF33/VYGF33):

The Vanguard Classic Hearth is a full-sized 32" fireplace system complete with zero-clearance firebox, gas log set and concealed controls. 32" Classic Hearth models are available with Golden Oak logs with two rows of yellow flame, or Blaze n' Glow Logs with an innovative ramp burner that more closely replicates a wood fire.

Classic Hearth (VSGF) models allow you to enjoy the realism of full size Blaze n' Glow logs and glowing coals featuring outstanding log aesthetics. A full set of black upper and lower louvers is standard with these models.

VSGF33 and VYGF33 models are equipped with remote ready controls. The optional manual or automatic blower can be installed to improve heat distribution. These fireplaces offer 33,000 Btu, enough to heat up to 1,100 square feet.

VSGF28 models are thermostatically controlled and equipped with an automatic variable speed blower. Thermostatically controlled models offer 28,000 Btu, enough to heat up to 1,100 square feet.

Classic

36" Extra-Large Classic Pro (VSGF36):

The 36" Classic Pro will be a showpiece in any setting! Our largest vent-free fireplace system, the Vanguard 36" Classic Pro features the Blaze n' Glow logs, with its innovative ramp burner for greater glow. In addition, Classic Pro models include the ProFlame "Smart" Remote. This beautifully designed handheld remote senses the room temperature and modulates the flame accordingly.

A variable speed blower comes standard for greater heat distribution. Specialized accessories include decorative doors, and cabinet mantels.

Innovative



ProFlame "Smart" Remote.



The Classic Pro offers the ultimate in convenience, and includes the ProFlame remote control. (VSGF36)

Cabinet Mantels and Accessories

Traditional



Traditional
21" & 26"
Wall & Corner
Oak Stain (All sizes)
White Paint (21")

Traditional



Traditional
32" & 36"
Wall & Corner
Oak Stain (All sizes)
Unfinished (All sizes)

Georgian



Georgian
26" & 32" Wall
26" Corner
Oak Stain (All sizes)
Unfinished (32")

Classic



Classic
32" Wall (CMA312FC)
32" Corner (C32HSA)
Dark Oak Stain

Sienna Doors



Sienna Doors
36" Common Chassis
Cabinet Screen Door

Iron Finish
(CD36RC-2IS)

Valencia Doors



Valencia Doors
36" Common Chassis
Cabinet Screen Door

Antique White Finish
(CD36RC-1WS)

Compact Fireplace Face Kits:

You can completely change the look of your Compact system with the help of Vanguard's Compact Face Kits. Choose from two distinct styles: Victorian with its flourishes and Classic with its keyhole notches. Both available in pewter or hammered copper finishes.



(Top) Victorian style - Pewter finish
(Bottom) Classic style - Hammered Copper finish


PRODUCT SPECIFICATION

| MODEL | DESCRIPTION | Btu CAPACITY | FUEL | SHIPPING WT. |
|---|--|------------------|---------|--------------|
| 21" Mini Classic Hearth Fireplace System | | | | |
| VGMRN | 21" Zero-Clearance Single Burner Compact Firebox, Remote Ready Gas Logs | 10,000 | Natural | 45.0 lbs. |
| VGMRP | 21" Zero-Clearance Single Burner Compact Firebox, Remote Ready Gas Logs | 10,000 | Propane | 45.0 lbs. |
| 26" Single Flame Compact Classic Hearth Fireplace System | | | | |
| VMH26TNC | 26" Zero-Clearance Single Burner Compact Firebox, Vent-Free Thermostatically Controlled Gas Logs | 14,000 to 26,000 | Natural | 41.0 lbs. |
| VMH26TPC | 26" Zero-Clearance Single Burner Compact Firebox, Vent-Free Thermostatically Controlled Gas Logs | 14,000 to 26,000 | Propane | 41.0 lbs. |
| VMH26NRB | 26" Zero-Clearance Single Burner Compact Firebox, Vent-Free Remote Ready Gas Logs | 14,000 to 26,000 | Natural | 41.0 lbs. |
| VMH26PRB | 26" Zero-Clearance Single Burner Compact Firebox, Vent-Free Remote Ready Gas Logs | 14,000 to 26,000 | Propane | 41.0 lbs. |
| 26" Dual Flame Compact Classic Hearth Fireplace System | | | | |
| VDCFTNB | 26" Zero-Clearance Dual Burner Compact Firebox, Vent-Free Thermostatically Controlled Gas Logs | 17,000 to 26,000 | Natural | 55.0 lbs. |
| VDCFTP | 26" Zero-Clearance Dual Burner Compact Firebox, Vent-Free Thermostatically Controlled Gas Logs | 17,000 to 26,000 | Propane | 55.0 lbs. |
| VDCFRNB | 26" Zero-Clearance Dual Burner Compact Firebox, Vent-Free Remote Ready Gas Logs | 17,000 to 26,000 | Natural | 56.0 lbs. |
| VDCFRPB | 26" Zero-Clearance Dual Burner Compact Firebox, Vent-Free Remote Ready Gas Logs | 17,000 to 26,000 | Propane | 56.0 lbs. |
| 32" Classic Hearth Fireplace System | | | | |
| VSGF28NTF | 32" Zero-Clearance Firebox with Blower and Blaze n' Glow Logs, Both T'Stat Controlled | 20,000 to 28,000 | Natural | 83.0 lbs. |
| VSGF28PTF | 32" Zero-Clearance Firebox with Blower and Blaze n' Glow Logs, Both T'Stat Controlled | 20,000 to 28,000 | Propane | 83.0 lbs. |
| VSGF33NRC | 32" Zero-Clearance Firebox with Remote Ready Blaze n' Glow Logs (Accepts Accessory Blowers) | 20,000 to 33,000 | Natural | 80.0 lbs. |
| VSGF33PRC | 32" Zero-Clearance Firebox with Remote Ready Blaze n' Glow Logs (Accepts Accessory Blowers) | 20,000 to 33,000 | Propane | 80.0 lbs. |
| VYGF33NRC | 32" Zero-Clearance Firebox with Remote Ready Golden Oak Logs (Accepts Accessory Blowers) | 20,000 to 33,000 | Natural | 76.0 lbs. |
| VYGF33PRC | 32" Zero-Clearance Firebox with Remote Ready Golden Oak Logs (Accepts Accessory Blowers) | 20,000 to 33,000 | Propane | 76.0 lbs. |
| 36" Classic Pro Fireplace System | | | | |
| VSGF36NRC | 36" Zero-Clearance Firebox with Pro-Flame Remote Blaze n' Glow Logs and Variable Speed Blower | 21,500 to 33,000 | Natural | 120.0 lbs. |
| VSGF36PRC | 36" Zero-Clearance Firebox with Pro-Flame Remote Blaze n' Glow Logs and Variable Speed Blower | 21,500 to 33,000 | Propane | 120.0 lbs. |

DIMENSIONS

| MODEL | A | B | C | D | X | Y | Z |
|--------------------|--------|--------|--------|--------|--------|--------|--------|
| 21" Mini Classic | 16 1/4 | 19 3/4 | 19 3/4 | 8 7/8 | 16 3/4 | 23 1/4 | 23 1/4 |
| 26" Single Compact | 25 7/8 | 26 3/4 | 26 3/4 | 9 1/2 | 12 1/2 | 26 | 26 |
| 26" Dual Compact | 25 7/8 | 26 3/4 | 26 3/4 | 14 1/4 | 12 1/2 | 26 | 26 |
| 32" Classic Hearth | 31 5/8 | 34 1/4 | 22 3/8 | 16 5/8 | 18 1/2 | 32 3/8 | 32 3/8 |
| 36" Classic Pro | 41 5/8 | 43 | 29 | 21 1/8 | 19 1/2 | 36 | 40 1/4 |

Note: All measurements are in inches. Dimensions on this catalog are approximate. For accurate dimensions, refer to the installation instructions.



Safety Features Built Into Every Fireplace

Vanguard's Classic Hearth Vent-Free Gas Fireplace Systems are designed certified to meet or exceed all regulations and safety performance standards for vent-free gas appliances. Additionally, these fireplaces perform well within nationally recognized guidelines for indoor air quality.

The dual purpose safety pilot system protects against oxygen depletion and any interruption in the fuel supply. If either occurs, it shuts off the gas flow to the burner turning the heater off. An internal pressure regulator controls fluctuations in your gas pressure. These features ensure clean and reliable heat.

Vanguard Vent-Free Gas Products Meet or Exceed Nationally Recognized Standards/Guidelines for Indoor Air Quality.*

IMPORTANT

Installation must be done by qualified service persons.

Read Owner's Manual before using.

Check local codes and ordinances for permitted uses.

Vent-free gas products are prohibited for bedroom and bathroom installation in Massachusetts.

All products approved for manufactured (mobile) home installation.

We reserve the right to amend product specifications without notice.

Operating heater at very high elevations could cause nuisance outages.

Use with adequate air (ventilation) only. Humidifies while it heats. Provides water vapor in the area heated. Refer to owner's manual for specifics.

Product cannot be converted between fuel types.

The only warranty we offer is our standard warranty.

Please read the warranty for any limitations or disclaimers.

All parts have a limited four year warranty.

Stainless Steel burners carry a limited five year warranty.

All accessories have a one year warranty.

* Per the findings of the American Gas Association Research when installed and operated per DESA's instructions.

VANGUARD



DESA
HEATING PRODUCTS

HPBA
Heating, Piping & Mechanical Association



Look For Us Online:
www.VanguardHeat.com
www.HearthSide-Designs.com

Classic Hearth Fireplace Systems



PRODUCT SPECIFICATION

| MODEL | DESCRIPTION | Btu CAPACITY | FUEL | SHIPPING WT. |
|---|--|------------------|---------|--------------|
| 21" Mini Classic Hearth Fireplace System | | | | |
| VGMRN | 21" Zero-Clearance Single Burner Compact Firebox, Remote Ready Gas Logs | 10,000 | Natural | 45.0 lbs. |
| VGMRP | 21" Zero-Clearance Single Burner Compact Firebox, Remote Ready Gas Logs | 10,000 | Propane | 45.0 lbs. |
| 26" Single Flame Compact Classic Hearth Fireplace System | | | | |
| VMH26TNC | 26" Zero-Clearance Single Burner Compact Firebox, Vent-Free Thermostatically Controlled Gas Logs | 14,000 to 26,000 | Natural | 41.0 lbs. |
| VMH26TPC | 26" Zero-Clearance Single Burner Compact Firebox, Vent-Free Thermostatically Controlled Gas Logs | 14,000 to 26,000 | Propane | 41.0 lbs. |
| VMH26NRB | 26" Zero-Clearance Single Burner Compact Firebox, Vent-Free Remote Ready Gas Logs | 14,000 to 26,000 | Natural | 41.0 lbs. |
| VMH26PRB | 26" Zero-Clearance Single Burner Compact Firebox, Vent-Free Remote Ready Gas Logs | 14,000 to 26,000 | Propane | 41.0 lbs. |
| 26" Dual Flame Compact Classic Hearth Fireplace System | | | | |
| VDCFTNB | 26" Zero-Clearance Dual Burner Compact Firebox, Vent-Free Thermostatically Controlled Gas Logs | 17,000 to 26,000 | Natural | 55.0 lbs. |
| VDCFTPB | 26" Zero-Clearance Dual Burner Compact Firebox, Vent-Free Thermostatically Controlled Gas Logs | 17,000 to 26,000 | Propane | 55.0 lbs. |
| VDCFRNB | 26" Zero-Clearance Dual Burner Compact Firebox, Vent-Free Remote Ready Gas Logs | 17,000 to 26,000 | Natural | 56.0 lbs. |
| VDCFRPB | 26" Zero-Clearance Dual Burner Compact Firebox, Vent-Free Remote Ready Gas Logs | 17,000 to 26,000 | Propane | 56.0 lbs. |
| 32" Classic Hearth Fireplace System | | | | |
| VSGF28NTF | 32" Zero-Clearance Firebox with Blower and Blaze n' Glow Logs, Both T'Stat Controlled | 20,000 to 28,000 | Natural | 83.0 lbs. |
| VSGF28PTF | 32" Zero-Clearance Firebox with Blower and Blaze n' Glow Logs, Both T'Stat Controlled | 20,000 to 28,000 | Propane | 83.0 lbs. |
| VSGF33NRC | 32" Zero-Clearance Firebox with Remote Ready Blaze n' Glow Logs (Accepts Accessory Blowers) | 20,000 to 33,000 | Natural | 80.0 lbs. |
| VSGF33PRC | 32" Zero-Clearance Firebox with Remote Ready Blaze n' Glow Logs (Accepts Accessory Blowers) | 20,000 to 33,000 | Propane | 80.0 lbs. |
| VYGF33NRC | 32" Zero-Clearance Firebox with Remote Ready Golden Oak Logs (Accepts Accessory Blowers) | 20,000 to 33,000 | Natural | 76.0 lbs. |
| VYGF33PRC | 32" Zero-Clearance Firebox with Remote Ready Golden Oak Logs (Accepts Accessory Blowers) | 20,000 to 33,000 | Propane | 76.0 lbs. |
| 36" Classic Pro Fireplace System | | | | |
| VSGF36NRC | 36" Zero-Clearance Firebox with Pro-Flame Remote Blaze n' Glow Logs and Variable Speed Blower | 21,500 to 33,000 | Natural | 120.0 lbs. |
| VSGF36PRC | 36" Zero-Clearance Firebox with Pro-Flame Remote Blaze n' Glow Logs and Variable Speed Blower | 21,500 to 33,000 | Propane | 120.0 lbs. |

DIMENSIONS

| MODEL | A | B | C | D | X | Y | Z |
|--------------------|--------|--------|--------|--------|--------|--------|--------|
| 21" Mini Classic | 16 1/4 | 19 3/4 | 19 3/4 | 8 7/8 | 16 3/4 | 23 1/4 | 23 1/4 |
| 26" Single Compact | 25 7/8 | 26 3/4 | 26 3/4 | 9 1/2 | 12 1/2 | 26 | 26 |
| 26" Dual Compact | 25 7/8 | 26 3/4 | 26 3/4 | 14 1/4 | 12 1/2 | 26 | 26 |
| 32" Classic Hearth | 31 5/8 | 34 1/4 | 22 3/8 | 16 5/8 | 18 1/2 | 32 3/8 | 32 3/8 |
| 36" Classic Pro | 41 5/8 | 43 | 29 | 21 1/8 | 19 1/2 | 36 | 40 1/4 |

Note: All measurements are in inches. Dimensions on this catalog are approximate. For accurate dimensions, refer to the installation instructions.



Safety Features Built Into Every Fireplace

Vanguard's Classic Hearth Vent-Free Gas Fireplace Systems are designed certified to meet or exceed all regulations and safety performance standards for vent-free gas appliances. Additionally, these fireplaces perform well within nationally recognized guidelines for indoor air quality.

The dual purpose safety pilot system protects against oxygen depletion and any interruption in the fuel supply. If either occurs, it shuts off the gas flow to the burner turning the heater off. An internal pressure regulator controls fluctuations in your gas pressure. These features ensure clean and reliable heat.

Vanguard Vent-Free Gas Products Meet or Exceed Nationally Recognized Standards/Guidelines for Indoor Air Quality.*

IMPORTANT

Installation must be done by qualified service persons.

Read Owner's Manual before using.

Check local codes and ordinances for permitted uses.

Vent-free gas products are prohibited for bedroom and bathroom

installation in Massachusetts.

All products approved for manufactured (mobile) home installation.

We reserve the right to amend product specifications without notice.

Operating heater at very high elevations could cause nuisance outages.

Use with adequate air (ventilation) only. Humidifies while it heats. Provides water vapor in the area heated. Refer to owner's manual for specifics.

Product cannot be converted between fuel types.

The only warranty we offer is our standard warranty.

Please read the warranty for any limitations or disclaimers.

All parts have a limited four year warranty.

Stainless Steel burners carry a limited five year warranty.

All accessories have a one year warranty.

VANGUARD



DESA
HEATING PRODUCTS

HPBA
Heating, Piping & Boilers Association



Look For Us Online:
www.VanguardHeat.com
www.HearthSide-Designs.com