




WELCOME HOME TO WARMTH









VANGUARD

Not Just Gas Logs -But Gas Log Heaters

Vanguard Vent-Free Gas Log Heaters offer you what ordinary gas logs and wood cannot...the warmth, cleanliness and economy of vent-free gas space heating combined with the beauty and convenience of gas logs.



Flex lines come standard with ALL vent-free gas log heaters to simplify installation.



The Beauty of a wood fire - with none of the work

Nothing compares to the warmth and the charm of an open fire in the fireplace. Through its engineering, Vanguard has created logs that beautifully duplicate real wood, a coal bed with a deep comforting glow, and a flame that dances and flickers like a wood fire. You won't be able to tell the difference.

The Convenience of Gas – Flames with a flip of the switch

While nothing compares to the charm of having a fire in the fireplace, there is little joy in the time and mess of making a regular wood fire and cleaning up the ashes afterwards. Select Vanguard Vent-Free Gas Log Heaters even have optional thermostatic remote controls for maximum comfort and convenience.

Efficiency of Vent-Free - Heat your home for less

Vanguard's unique, clean burning design provide 99% heating efficiency, allowing you to operate the logs vent-free with the fireplace damper closed. With no venting required, there is no heat loss up the chimney. Plus heating with Vanguard Gas logs means you'll never again be left in the cold with wet logs or without heat during a power outage.

Ordinary vented gas logs operate at approximately one third the efficiency and twice the costs, requiring the damper to be open, allowing beneficial heat to escape. When it comes to real comfort, efficiency and savings-Vanguard's Vent-Free Gas Log Heaters leave ordinary gas logs in the cold.

Scarlet Oak Vent-Free Gas Log Heaters

The Scarlet Oak Concrete is Vanguard's newest log line, and brings a remarkable new technology to the field of vent-free gas logs. To duplicate the look of a real wood fire, the Scarlet Oak includes a glowing, coal bed at its base.

This appearance of glowing coals is achieved through the use of Platinum Bright Embers or Ceremat. Platinum Bright Embers give a bright glow appearing as hot coals, while Ceremat provides a glow appearing as a flickering ember bed. Not only does the Scarlet Oak possess this unique technology for its glowing coals, it also boasts a triple burner for greater fire and light: two burners of bright yellow flame, plus the front burner for the glowing ember bed.



The Scarlet Oak (VGC) -Vent-Free Gas Log Heater.



The Scarlet Oak (VCC) -Concrete Vent-Free Gas Log Heater.

Other unique features include:

- Seven logs hand-painted for utmost realism
- Handsome grate with less distracting metal
- Easily accessible on-off switch

- · Three sizes:
- 18" for a 32" firebox or fireplace
- 24" for a 36" firebox or fireplace
- 30" for a 42" firebox or fireplace
- Remote-ready. Hand-held remote controls or wall switches are available as accessories.
- · Auto-Light push-button ignition

Scarlet	Oak Logs					
LOG	MODEL NUMBER		COMFORT	BTU 0	SHIPPING	
SIZE	Natural	Propane	SETTING	Natural	Propane	WEIGHT
Remote	Control "Ready"	Models		P. A. S. SAN	The Water of	
18"	VGC18NR	VGC18PR	Low to High	21,000 to 30,000	24,000 to 30,000	32.0 lbs.
24"	VGC24NR	VGC24PR	Low to High	28,000 to 39,000	28,000 to 39,000	34.0 lbs.
30"	VGC30NR	VGC30PR	Low to High	28,000 to 39,000	28,000 to 39,000	36.0 lbs.
Scarlet	Oak - Concre	te				
Remote (Control "Ready"	Models				
18"	VCC18NR	VCC18PR	Low to High	21,000 to 30,000	24,000 to 30,000	60.0 lbs.
24"	VCC24NR	VCC24PR	Low to High	28,000 to 39,000	28,000 to 39,000	65.0 lbs.
30"	VCC30NR	VCC30PR	Low to High	28,000 to 39,000	28,000 to 39,000	70.0 lbs.

Blaze n' Glow Oak Vent-Free Gas Log Heaters



Vanguard's Blaze n' Glow Vent-Free Gas Log Heater features a unique slanted burner system that offers the most glow and realistic yellow flames in the industry. The multi-log design is available in 18", 24", 30" and 36" models with variable manual, remote "ready" or thermostat controls. The Blaze n' Glow also comes standard with the "Auto-Light" Easy Ignition System.



Blaze n' Glow Logs feature a unique slanted burner system that offers the most glow and realistic yellow flames in the industry.

Blaze	n' Glow Log	s				
LOG	MODEL NUMBER		COMFORT	вти о	SHIPPING	
SIZE	Natural	Propane	SETTING	Natural	Propane	WEIGHT
Remote	Control "Rea	dy" Models				
18"	VUL18NR	VUL18PR	Low to High	19,000 to 28,000	19,000 to 30,000	28.0 lbs.
24"	VUL24NR	VUL24PR	Low to High	25,000 to 36,000	25,000 to 36,000	30.0 lbs.
30"	VUL30NR	VUL30PR	Low to High	25,000 to 36,000	25,000 to 36,000	32.0 lbs.
36"	VUL36NR	VUL36PR	Low to High	25,000 to 36,000	25,000 to 36,000	34.0 lbs.
EmberS	tat® Thermo	statically Co.	ntrolled Models			
18"	VUL18NT	VUL18PT	Low to High	19,000 to 28,000	19,000 to 30,000	28.0 lbs.
24"	VUL24NT	VUL24PT	Low to High	25,000 to 36,000	25,000 to 36,000	30.0 lbs.
30"	VUL30NT	VUL30PT	Low to High	25,000 to 36,000	25,000 to 36,000	32.0 lbs.
36"	VUL36NT	VUL36PT	Low to High	25,000 to 36,000	25,000 to 36,000	34.0 lbs.
Variable	Manually Co	ontrolled Mod	iels			
18"	VUL18NV	VUL18PV	Low to High	22,000 to 29,000	19,000 to 26,000	28.0 lbs.
24"	VUL24NV	VUL24PV	Low to High	24,000 to 35,000	24,000 to 35,000	30.0 lbs.
30"	VUL30NV	VUL30PV	Low to High	24,000 to 35,000	24,000 to 35,000	32.0 lbs.
36"	VUL36NV	VUL36PV	Low to High	24,000 to 35,000	24,000 to 35,000	34.0 lbs.



Featuring The Vanguard "Auto-Light" Easy Ignition System

Vanguard brings to its gas log heaters the ultimate in convenient ignition. The "Auto-Light" Easy Ignition System is simply a battery-powered continuous spark system that lights the log's burner faster and easier. One push of the button is all it takes. (You see this feature on many higher-end gas barbecue grills nowadays.) The single AAA battery is easily accessed from the front left side of the log set. This breakthrough in convenience is found on Vanguard's Blaze n' Glow and Scarlet Oak Vent-Free Gas Log Heaters.

VANGUARD

NEW! Blaze n' Glow "Pro" Vent-Free Gas Log Heaters

Vanguard's Blaze n' Glow
"Pro" Vent-Free Gas Log Heaters
combine a unique slanted burner
with innovative turn-down feature
to allow a choice of heat settings
for up to 60% reduction in heat
output. "Pro" models also include
the sleek Proflame thermostat
remote control.

- Slanted burner with turn-down feature enables up to a 60% reduction in heat output
- Proflame remote control lets you set desired temperature setting for maximum comfort



LOG SIZE	MODEL NUMBER		COMPORT SETTING	BTU O	SHIPPING	
LUG SIZE	Natural	Propane	COMFORT SETTING	Natural	Propane	WEIGHT
Remote Cor	ntrol Models					
24"	VUL24ND	VUL24PD	Low to High	14,000 to 36,000	15,000 to 36,000	30.0 lbs.
30"	VUL30ND	VUL30PD	Low to High	14.000 to 36.000	15,000 to 36,000	32.0 lbs.

Proflame remote control.



LogMate™ Fireboxes: The Perfect Spot For Your Vanguard Gas Log Heater

Vanguard's Vent-Free LogMate Fireboxes allow you to enjoy the beauty of a fireplace along with the warmth and efficiency of a vent-free gas space heater. All standard LogMate Fireboxes are offered in two styles: The heat circulating models feature louvers and can be fitted with an optional blower; the smooth faced non-circulating models are ideal for custom trim applications such as stone or marble.

Vintage Oak Vent-Free Gas Log Heaters

Vanguard's Vintage Oak Vent-Free Gas Log Heater features an abundance of dancing yellow flames and your choice of two beautifully designed log styles that look like they just came off the woodpile.

Vintage	Oak Logs				
LOG SIZE	MODEL NUMBER		COMFORT		SHIPPING
	Natural	Propane	SETTING	BTU OUTPUT	WEIGHT
Variable N	lanually Controlle	ed Models			
18"	VYS18NB	VYS18PB	Low to High	16,000 to 27,000	27.0 lbs.
24"	VYS24NB	VYS24PB	Low to High	16,000 to 31,500	29.0 lbs.



Vintage Oak Vent-Free Gas Log Heaters



Golden	Oak Logs				
LOG SIZE	MODEL NUMBER		COMFORT		SHIPPING
	Natural	Propane	SETTING	BTU OUTPUT	WEIGHT
Remote C	Control "Ready" Me	odels			3234
18"	VYD18NRB	VYD18PRB	Low to High	21,000 to 30,000	29.0 lbs.
24"	VYD24NRB	VYD24PRB	Low to High	25,000 to 39,000	31.0 lbs.
30"	VYD30NRB	VYD30PRB	Low to High	25.000 to 39.500	33.0 lbs.


Golden Oak Vent-Free Gas Log Heaters

Golden Oak Vent-Free Gas Log Heaters

Vanguard's Golden Oak Vent-Free Gas Log Heater offers the choice of four types of remote control accessories as well as the ability to operate the log heater with a variable manual control.



Vintage Oak Multi-Sided Vent-Free Gas Log Heaters





Multi-Sided Vent-Free Gas Log Heaters

Multi-Si	ded Logs				
LOG	MODEL NUMBER		COMFORT	2 - 40 - At 1 - 40 - 1	SHIPPING
SIZE	Natural	Propane	SETTING	BTU OUTPUT	WEIGHT
Remote (Control "Ready" N	Models			
27"	VYM27NR	VYM27PR	Low to High	20,000 to 39,000	40.0 lbs.

The Vanguard Difference

- Technology leaders. Vanguard has a history of technical and aesthetic innovation with vent-free gas logs – a history that we continue today.
- Safety engineering. We thoroughly test our products to all applicable standards for
- combustion efficiency and indoor air quality.
- Full choice for you. Vanguard offers vent-free gas log heaters in a full range of sizes – 18", 24", 30" and 36" – as well as models for twosided see-through fireplaces.



Accessories Add Style And Function

Remote	Controls Must Be Purchased Separately*	
TLCR	Thermostat Remote Control Kit with Wall Docking Station	1.0 lb.
GWMT1	Wall Mount Thermostat Control Kit	1.0 lb.
GWMS2	Wall Mount - On/Off Switch Kit	1.0 lb.
CF6-A	Fire Crackling Sound with On/Off Switch	4.0 lbs.

Which Vanguard Model Is Right For You?

Vanguard offers the broadest line of vent-free gas log heaters in the industry featuring a variety of styles and sizes plus your choice of three types of controls. Just follow the easy steps below to choose a great looking set of Vanguard gas logs.

- Installation Considerations. Vanguard Vent-Free Gas Log Heaters install in any masonry or manufactured solid fuel-burning fireplace. They can also be installed in any ANSI Z21.11 certified vent-free universal firebox including the Vanguard LogMate™ Fireboxes. All Log Heaters with variable manual controls including remote ready are also listed to the ANSI Z21.60 Vented Log Decorative Standard which requires the GA6080 damper clamp accessory. All Vanguard Vent-Free Gas Log Heaters are offered in both propane and natural gas models. Gas connection for all models is 1/2" NPT. If a remote control wall switch or wall thermostat is installed, some wiring will be necessary.
- Control Choices. Vanguard Gas Log Heaters are available in variable manually, thermostatically or remote controlled models. All offer easy, reliable and economical heating as well as a "matchless" piezo ignition
- · Variable Manually Controlled Models Select the Heat Setting You Prefer. Vanguard's Log Heaters featuring a variable manual control allow you to select the heat setting and flame height you desire by simply turning a control knob. Enjoy flames and glowing coals from both burners (where applicable) - even on
- Ember-Stat®Thermostatically Controlled Models Provide Heat... Automatically. Ember-Stat logs are the only gas logs to offer a thermostat control that gradually modulates the heat output and flame height from high to lower settings, or pilot, in order to maintain a consistent room temperature. Even at the lowest setting you enjoy glowing coals and realistic flames from two burners.
- · Remote Controlled Models Offer you heat at the push of a button. Just light Vanguard's Remote Control Ready Gas Log Heaters and operate with the manual variable controls or your choice of four remotes.
 - The Wall Mount Off/On Switch will enable you to turn your log set from pilot to on at the flip of a switch.
- · With a Wall Mount Thermostat Switch set the wall thermostat at the comfort level you desire and the log heater will automatically cycle from pilot to the
- . The Hand-Held On/Off Remote Control enables you to turn the log heater off or on using the hand-held control. A child safety lock feature is included for additional safety assurance.



· The Hand-Held Thermostat Remote Control with Docking Station allows you to view the time and room temperature or operate the log heater in a manually or automatically (thermostat) controlled mode plus you can turn it off or on without ever leaving the comfort of your easy chair! Note, the log heater will always operate at the heat setting (and flame height) selected unless it is manually changed. A child safety lock feature is included for additional safety assurance.

- Style Choices. Vanguard Gas Log Heaters are available in a variety of styles. The ChaRealistic Char-glow and Real Burn designs feature realistic flames plus glowing coals from two burners. The Flame-Max design features generous dancing yellow flames and is available in multi-sided, dual and single burner models.
- Size Choices. Vanguard Vent-Free Gas Log Heaters are available in 18", 24", 30" and 36" sizes. See chart below for proper log sizing for your

MINIMUM FIREBOX SIZES			FRONT W	/IDTH	REAR WIDTH AT 13" DEP	
LOG SIZE	HEIGHT	DEPTH	CHAREALISTIC MODELS	ALL OTHER MODELS	CHARLEAISTIC MODELS	ALL OTHER MODELS
18"	17"	14"	20"	24"	14"	20"
24"	17"	14"	26"	28"	18"	21"
30"	17°	14"	32"	34"	22"	24"
36°	17"	14"	38"	40"	26"	30"
27"	17"	19"	N/A	32"	N/A	32"

Fireplace Hoods (If required).





A fireplace hood accessory may be required to deflect heat away from your mantel shelf. Fits fireplace openings from 28" to 48" wide. Installs easily with glass doors or to the lintel of the fireplace opening. Refer to owners manual for more details.

Decorative Ash Bed / 6. Control Cover Accessory Kit (Optional).



This new accessory is not only functional but beautiful as well! The set includes five log pieces featuring realistic bark, split and charred areas plus a matching control cover. Simply move the cover when you need to use the control(s).

Safety Features Built Into Every Fireplace

Vanguard's Vent-Free Gas Log Heaters are designed certified by PFS Corporation and meet or exceed all regulations and safety performance standards for vent-free gas appliances. Additionally, this heater performs well within nationally recognized guidelines for indoor air quality.

The dual purpose safety pilot system protects against oxygen depletion and any interruption in the fuel supply. If either occurs, it shuts off the gas flow to the burner turning the heater off. An internal pressure regulator controls fluctuations in your gas pressure. These features ensure clean and reliable heat without the worry and inconvenience of vented gas logs or burning

Vanguard Vent-Free Gas Products Meet or Exceed Nationally Recognized Standards/Guidelines for Indoor Air Quality.



Look For Us Online www.fmiproducts.com







nstallation must be done by qualified service persons use with adequate air (ventifation) only. Hymidifies while Read Owner's Manual before using It heats. Provides water vapor in the area heated. Refer to owner's manual for specifics. Check local codes and ordinances for permitted uses Product cannot be converted between fuel types

installation in Massachusetts. All products approved for manufactured (mobile) home installation

We reserve the right to amend product specifications without notice Operating heater at very high elevations could cause nuisance outages The only warranty we offer is our standard warranty.

Please read the warranty for any limitations or disclaimers All parts have a limited two year warranty Stainless Steel burners carry a limited five year warranty.

All accessories have a one year warranty